

290 W. Nationwide Blvd.
Columbus, Ohio 43215
Direct: 614.315.3391
MLThompson@nisource.com



August 7, 2025

Ms. Tanowa Troupe
Secretary, Office of Administration
Ohio Power Siting Board
180 East Broad Street
Columbus, Ohio 43215

RE: *In the Matter of the Letter of Notification Application of Columbia Gas of Ohio, Inc. for a Certificate of Environmental Compatibility and Public Need for the West Central Columbus NCHP Pipeline Project.*

OPSB Case No. 24-0667-GA-BLN

In the Matter of the Construction Notice Application of Columbia Gas of Ohio, Inc. for a Certificate of Environmental Compatibility and Public Need for an Adjustment to the West Central Columbus NCHP Pipeline Project.

OPSB Case No. 25-0345-GA-BNR

In the Matter of the Construction Notice Application of Columbia Gas of Ohio, Inc. for a Certificate of Environmental Compatibility and Public Need for an Adjustment to the West Central NCHP Pipeline Project.

OPSB Case No. 25-0606-GA-BNR

Dear Ms. Troupe:

Please find the enclosed Engineering Adjustment regarding a minor workspace modification in Columbia Gas of Ohio, Inc.'s ("Columbia") West-Central NCHP Pipeline Project certified by the Board in Case No. 24-0667-GA-BLN, as further adjusted in Case Nos. 25-0345-GA-BNR and 25-0606-GA-BNR ("Project"). The adjustment described below is necessary to mitigate against the presence of a latent and unforeseen complication discovered during active construction. Columbia identified an existing girth weld in the pipe at the previously identified tie-in location near the corner of Ackerman Road and Defiance Drive.

To safely complete the tie-in, Columbia is shifting the tie-in location approximately three feet to the west to avoid the existing girth weld. This shift will reduce the length of pipe that will be installed through the Project by approximately three

feet. To illustrate this change, Columbia is submitting a revised page of Attachment B, depicting the proposed revised route for Staff and the Board's review and consideration.

If there are any remaining questions, please do not hesitate to reach out to me at the information listed above.

Sincerely,

/s/ Melissa L. Thompson
Melissa L. Thompson (Counsel of Record)

Melissa L. Thompson, VP and Deputy
Gen. Counsel (0086367)

John R. Ryan, Asst. Gen. Counsel
(0090607)

P.O. Box 117

290 W. Nationwide Blvd.

Columbus, Ohio 43216-0117

Telephone: (614) 315-3391

E-mail: mlthompson@nisource.com

johnryan@nisource.com

(Willing to accept service by e-mail)

Attorneys for

COLUMBIA GAS OF OHIO, INC.

**This foregoing document was electronically filed with the Public Utilities
Commission of Ohio Docketing Information System on**

8/7/2025 12:39:32 PM

in

Case No(s). 24-0667-GA-BLN, 25-0345-GA-BNR, 25-0606-GA-BNR

Summary: Correspondence regarding Engineering Adjustment of Columbia Gas of Ohio, Inc. electronically filed by Ms. Melissa L. Thompson on behalf of Columbia Gas of Ohio, Inc..