

Engineering & Design

Wetland Delineation Report

University Project

Colliers Engineering & Design Project Number: 21004202A

May 31, 2024

Prepared for:

NiSource Inc. 801 E. 86th Avenue Merrillville, IN 46410 Prepared by:

Colliers Engineering & Design, Inc. 1501 Reedsdale Street, Suite 302 Pittsburgh, PA 15233 Main: 412-618-5390 Colliersengineering.com



Table of Contents

EXEC	CUTIVE SUMMARY	.1
1.0	PROJECT INFORMATION	.2
2.0	INTRODUCTION	.3
3.0	PROPERTY DESCRIPTION	.4
4.0	BACKGROUND INFORMATION	.5
4.1	U.S. Geological Survey Map	5
4.2	Soil Survey	5
5.0	WETLAND & SURFACE WATER DELINEATION METHODOLOGY	.7
5.0 6.0	WETLAND AND SURFACE WATER DELINEATION RESULTS	.8
6.0 6.1	WETLAND AND SURFACE WATER DELINEATION RESULTS	.8
6.0 6.1 6.2	WETLAND AND SURFACE WATER DELINEATION RESULTS	.8 8
6.0 6.1 6.2 6.3	WETLAND AND SURFACE WATER DELINEATION RESULTS	.8 8 8
6.0 6.1 6.2 6.3 6.4	WETLAND AND SURFACE WATER DELINEATION RESULTS	.8 8 8 9
6.0 6.1 6.2 6.3	WETLAND AND SURFACE WATER DELINEATION RESULTS	8 8 9

APPENDICES

APPENDIX A	-	FIGURES
APPENDIX B	-	DATA FORMS
APPENDIX C	-	USACE ANTECEDENT PRECIPITATION TOOL



EXECUTIVE SUMMARY

On behalf of NiSource Inc., Colliers Engineering & Design (CED) conducted field delineations for the University Project within Franklin County, Ohio (hereinafter described as "Survey Corridor"). The Survey Corridor is located at latitudinal coordinates 40.010495 N and longitudinal coordinates -83.014039 W. The Survey Corridor is located approximately 3 miles north of Columbus, Ohio. Access to the Survey Corridor can be achieved from Ackerman Road, N Star Road, Kenny Road, Ridgeview Road, Brandon Road.

The Project Study Area is comprised of a 100-foot wide survey corridor centered on the proposed pipeline alignment for 2.15 miles. The Project Study Area or "Survey Corridor" includes the proposed installation of 2.15 miles of 20-inch pipeline and additional workspaces. The additional workspaces are located along the alignment in the central and eastern end of the alignment. The Survey Corridor was investigated to identify potential jurisdictional Waters of the U.S. (WOTUS) and wetlands subject to Federal or State regulatory jurisdiction. The delineation methodologies developed by the USACE and the USEPA, as described in the *1987 Corps of Engineers Wetlands Delineation Manual, Technical Report Y-87-1* and the *Regional Supplement to the Corps of Engineers Wetland Delineation Manual: Midwest Region (Version 2.0)* and the subsequently issued USACE regulatory guidance regarding the identification of jurisdictional stream channels through the recognition of field indicators of an ordinary high-water mark within drainage features (Environmental Laboratory, 1987; USACE 2012; USACE 2005) were utilized during our investigation. The location and size of jurisdictional areas delineated are shown on the attached Figure 5. Delineation Results (**Appendix A**).

Based on the field investigations, two (2) stream features and one (1) wetland feature were delineated within the Survey Corridor by CED on March 2nd & 3rd, 2022 and May 19th, 2023. A total of 2,552 linear feet of perennial (R3) stream, 562 linear feet of intermittent (R4) stream, and 0.23 acres of palustrine emergent (PEM) wetland were delineated. It is CED's professional opinion that Stream Features "1" and "2", and the proximal wetland, are considered jurisdictional WOTUS since they drain into the Olentangy River and Scioto River. These stream features can be considered jurisdictional WOTUS since they connect and/or are directly connected to the Olentangy River and Scioto River. The location and size of jurisdictional areas delineated are shown on Figure 5. Delineation Results (**Appendix A**).



1.0 PROJECT INFORMATION

Project Name	University Project
Project Location	Ackerman Road, N Star Road, Kenny Road, Ridgeview Road, Brandon
	Road,
Municipality	Columbus
County	Franklin
State	Ohio
Latitude/Longitude	40.010495 N / -83.014039 W
Subject Property Size	+/- 3.7 mi/LF 100 feet wide survey corridor
U.S.G.S. Quadrangle	Northwest Columbus OH
Potential Jurisdictional	See Aquatic Resource Area Summary Table on Page 8
Waters of the U.S. (WOTUS)	
and wetlands	
River Basin (HUC) & sub-	Upper Scioto Basin: 8 Digit HUC Code 05060001
watershed	
Nearest Stream	Olentangy River and Scioto River
Navigable Water Nexus	Stream and wetland features delineated on the Survey Corridor
	would be considered jurisdictional WOTUS and wetlands since these
	features drain towards the Olentangy River and Scioto River.
Isolated Wetlands/Waters	No
Present (Yes/No)	



2.0 INTRODUCTION

On behalf of NiSource Inc., Colliers Engineering & Design (CED) conducted field delineations for the University Project located in the greater North Columbus area within Franklin County, Ohio (hereinafter described as "Survey Corridor"). The Survey Corridor is located at latitudinal coordinates 40.010495 N and longitudinal coordinates - 83.014039 W. The Survey Corridor is located approximately 3 miles north of Columbus, Ohio. Access to the Survey Corridor can be achieved from Ackerman Road, N Star Road, Kenny Road, Ridgeview Road, Brandon Road. The Survey Corridor is bordered by residential homes, commercial properties, agricultural land, and forested areas. There are unnamed tributaries located within the Survey Corridor that eventually drain to Olentangy River and Scioto River.

The Survey Corridor was investigated to identify potential jurisdictional Waters of the U.S. (WOTUS) and wetlands subject to Federal or State regulatory jurisdiction. According to the U.S. Army Corps of Engineers (USACE) and U.S. Environmental Protection Agency (USEPA) regulations described in Section 404 of the Clean Water Act (33 CFR Section 328.3 and 40 CFR Section 230.3) respectively, wetlands are "...areas that are inundated or saturated with surface or ground water at a frequency and duration sufficient to support, and that under normal circumstances do support, a prevalence of vegetation typically adapted for life in saturated soil conditions."



3.0 PROPERTY DESCRIPTION

The Survey Corridor is located within the Upper Scioto River Basin (8 Digit HUC Code 05060001). Access to the Survey Corridor can be achieved from Ackerman Road, N Star Road, Kenny Road, Ridgeview Road, and Brandon Road. The western section of the Survey Corridor drains south towards the Scioto River, and the eastern section of the Survey Corridor drains east towards the Olentangy River. The Survey Corridor does not contain floodways or floodplains according to FEMA Floodplain Panel Maps 39049C0164K, 39049C0168K, and 39049C0169K (eff. 6/17/2008). The Survey Corridor contains approximately 20% forested communities and 80% residential properties and commercial properties. The forested areas are comprised of a mixture of oak, tulip poplar, red maple, pine, and sweetgum species that dominate the canopy layer. The Olentangy River is located east of the Survey Corridor and Scioto River is located west of the Survey Corridor and drain north to south. Unnamed tributaries can be found in the western and eastern sections of the Survey Corridor eventually discharging into the Olentangy River and Scioto River.



4.0 BACKGROUND INFORMATION

Prior to on-site field investigations, several publicly available sources of information were reviewed to determine the likelihood of wetlands and surface waters occurring within Survey Corridor. These mapping resources generally include, but are not limited to, the United States Geological Survey (USGS) maps (Figure 1. Project Location Map, **Appendix A**), the U.S. Department of Agriculture - Natural Resource Conservation Service (NRCS) soils database (Figure 2. Soil Series Map, **Appendix A**), National Hydrography Dataset (NHD), and the U.S. Fish & Wildlife Service National Wetlands Inventory (NWI) database (Figure 3. National Wetlands Inventory Map, **Appendix A**).

4.1 U.S. GEOLOGICAL SURVEY MAP

The Survey Corridor appears on the *Northwest Columbus OH* Quadrangle USGS Maps (Figure 1. Project Location Map, **Appendix A**) and is depicted as developed properties which contains approximately 20% forested areas and 80% residential and commercial properties. The USGS also depicts unnamed tributaries located within western and eastern sections. Residential and forested areas are located within the vicinity of the Survey Corridor to the north, south, east, and west. Elevations at the Survey Corridor range from 750 to 950 feet above mean sea level (MSL) based on the USGS map.

4.2 SOIL SURVEY

The NRCS Web Soil Survey depicts the following Table Soil Series map units within the Survey Corridor and provides a description of the properties and qualities of each soil:

Map Unit Symbol	Map Unit Name	Drainage Class	Runoff Class	Depth to Water Table
CfB	Celina-Urban land complex, 2 to 6 percent slopes	Moderately Well Drained	Medium	About 18 to 36 inches
CrB	Crosby silt loam, Southern Ohio Till Plain, 2 to 6 percent slopes	Somewhat Poorly Drained	Medium	About 6 to 24 inches
CsA	Crosby-Urban land complex, 0 to 2 percent slopes	Somewhat Poorly Drained	Medium	About 6 to 24 inches
CsB	Crosby-Urban land complex, 2 to 6 percent slopes	Somewhat Poorly Drained	High	About 12 to 36 inches
Ко	Kokomo silty clay loam, 0 to 2 percent slopes	Very Poorly Drained	Negligible	About 0 to 6 inches

Table 1. Soils Section for University Project



Map Unit Symbol	Map Unit Name	Drainage Class	Runoff Class	Depth to Water Table
Ut	Udorthents-Urban	-	-	More than 80
	land complex,			inches
	gently rolling			

Of the six (6) mapped soil units in the Survey Corridor, one (1) soil unit (Kokomo silty clay loam) is listed as being hydric.



5.0 WETLAND & SURFACE WATER DELINEATION METHODOLOGY

The wetland delineation methodologies developed by the USACE and the USEPA, as described in the 1987 Corps of Engineers Wetlands Delineation Manual, Technical Report Y-87-1 and the Regional Supplement to the Corps of Engineers Wetland Delineation Manual: *Midwest Region* (Version 2.0) and subsequently issued USACE regulatory guidance regarding the identification of jurisdictional stream channels through the recognition of field indicators of an ordinary high-water mark within drainage features (Environmental Laboratory, 1987; USACE 2012; USACE 2005), were utilized during our investigation. These methodologies generally involve the review of three parameters (vegetation, soils, hydrology) when making a wetland or non-wetland determination.

The Survey Corridor was walked, community types were characterized, and wetland and surface water boundaries were flagged. Sample stations were established along the boundaries to examine vegetation, soils, and hydrology. Using this data, boundaries were established based on changes in vegetation, soils, hydrology, and surface water characteristics.



6.0 WETLAND AND SURFACE WATER DELINEATION RESULTS

6.1 WETLAND AND SURFACE WATER SUMMARY

On-site field investigations of the Survey Corridor were conducted by CED on March 2nd & 3rd, 2022 and May 19, 2023. The on-site delineation did verify the presence of surface waters within Survey Corridor. A summary of the aquatic resources identified within the Survey Corridor is provided below in Table 2: Aquatic Resource Summary. The location and size of the aquatic resources delineated are shown on Figure 5. Delineation Results (**Appendix A**).

Aquatic Resource	PFO Area (AC)	PEM Area (AC)	Aquatic Resource	PUB Area (AC)	Aquatic Resource	R3 Length (LF)	R4 Length (LF)
W-1	-	0.23	-	-	S-1	254	-
-	-	-	-	-	S-2	2298	562
Total Wetlands by Class (AC)	-	0.23	Total Pond (AC)	-	Total Stream by Class (LF)	2,552	562
Total Wetlands (AC)	0.	23	(AC)		Total Stream (LF)	3,11	4

Table 2: Aquatic Resource Area Summary Table

Note 1: Cowardin Class PEM = palustrine emergent wetland, R3 = perennial stream, R4 = intermittent stream

6.2 VEGETATION

One (1) wetland was observed within the project boundaries. Representative plant species within the wetland areas include the following: red maple (*Acer rubrum*), American elm (*Ulmas americana*), green ash (*Fraxinus pennsylvanica*), sugar maple (*Acer saccharum*), eastern cottonwood (*Populus deltoides*), amur honeysuckle (*Lonicera mackaii*), spotted touch-me-not (*Impatiens capensis*), Canadian clearweed (*Pilea pumila*), common blue violet (*Viola papilionacea*), jumpseed (*Persicaria virginiana*), yellow iris (*Iris psuedacorus*), poison ivy (*Toxicodendron radicans*), and rice cutgrass (*Leersia oryzoides*).

Representative plant species within the upland areas include the following: northern red oak (*Quercus rubra*), sugar maple, American beech (*Fagus grandifolia*), amur honeysuckle, eastern hemlock (*Tsuga canadensis*), and poison ivy.

6.3 SOILS

Hydric soils are defined as soils that formed under conditions of saturation, flooding, or ponding long enough during the growing season to develop anaerobic conditions in the upper part of the soil (USDA 2003). The soils in the wetland areas were variable, but for the most part, exhibited low chroma matrices with redoximorphic features. Soils within the wetland areas on-site exhibit low chroma matrix colors and concentrations that are characteristic of reducing anaerobic conditions associated within the formation of hydric soils. Wetland soils were typically black (10YR 2/1), dark yellowish brown (10YR 4/6), and brown (10YR 5/2) within the upper 16 inches. Jurisdictional soils were generally underlain dark yellowish brown (10YR 4/6), and brown (10YR 5/2) down to 16 inches. Redox concentrations greater than 3% were observed between 0 and 16 inches below soil surface and are typically dark yellowish brown (10YR 4/6). Soils within jurisdictional areas meet the F3 Depleted Matrix hydric



soil indicator. Textures within the jurisdictional areas included loam. The upland soils were dark brown (10YR 3/3) within the upper 16 inches. Soil textures included loam.

6.4 HYDROLOGY

On-site field investigations of the Survey Corridor were conducted by CED on March 2nd & 3rd, 2022 and May 19, 2023. The USACE Antecedent Precipitation Tool (APT) was utilized for the Survey Corridor and is provided in **Appendix C**. Based the USACE APT tool, the on-site field investigations were conducted in "Wetter than Normal" precipitation conditions with a 30-day rolling total during the March 2nd & 3rd, 2022 investigations. The on-site field investigations were conducted in "Drier than Normal" precipitation conditions for the May 19th, 2023 investigation.

Indicators of wetland hydrology are largely absent in upland areas.



7.0 WETLAND DELINEATION CONCLUSION

Two (2) stream features and one (1) wetland feature were delineated within the Survey Corridor by CED on March 2nd & 3rd, 2022 and May 19th, 2023. A total of 2,552 linear feet of perennial (R3) stream, 562 linear feet of intermittent (R4), and 0.23 acres of palustrine emergent (PEM) wetland were delineated. Field investigations were conducted in accordance with the manuals, methodologies, and regulatory guidance procedures as stated in Section 5.0 Wetland and Surface Water Delineation Methodology.

It is CED's professional opinion that Stream Features "1" and "2" are considered jurisdictional WOTUS since they drain into the Olentangy River and the Scioto River. The wetland can be considered jurisdictional WOTUS since it drains directly to the unnamed tributary to the Olentangy River and the Scioto River. The location and size of jurisdictional areas delineated are shown on Figure 5. Delineation Results (**Appendix A**).



8.0 REFERENCES

- Cowardin, L. M., V. Carter, F. C. Golet, and E. T. LaRoe. 1979. Classification of wetlands and deepwater habitats of the United States. U.S. Department of the Interior, Fish and Wildlife Service, Washington, D.C.
- Environmental Laboratory. 1987. "Corps of Engineers Wetlands Delineation Manual" Technical Report Y-87-1. US Army Engineer Waterways Experiment Station, Vicksburg, Miss.
- Environmental Laboratory. 2012. "Regional Supplement to the Corps of Engineers Wetland Delineation Manual: Eastern Mountains and Piedmont Region (Version 2.0)". Technical Report ERDC/EL TR-09-19. US Army Engineer Research and Development Center, Vicksburg, Miss.
- Federal Interagency Committee for Wetland Delineation. 1989. Federal Manual for Identifying and Delineation Jurisdictional Wetlands. U.S. Army Corps of Engineers, U.S. Environmental Protection Agency, U.S. Fish and Wildlife Service, and U.S.D.A. Soil Conservation Service, Washington D.C. Cooperative technical publication. 76 pp. plus appendices.

Federal Emergency Management Agency (FEMA). 2019. Flood Map Service Center. https://msc.fema.gov/portal.

- National List of Hydric Soils 2010, United States Department of Agriculture Natural Resource Conservation Service, https://www.nrcs.usda.gov/wps/portal/nrcs/main/soils/use/hydric/
- *Ohio Environmental Protection Agency (OhioEPA)*. (2022, February 25). Qualitative Habitat Evaluation Index (QHEI). https://ohioepa.custhelp.com/app/answers/detail/a_id/470/%7E/qualitative-habitat-evaluation-index-%28qhei%29


United States Department of Agriculture. Natural Resources Conservation Service http://websoilsurvey.nrcs.usda.gov/app/HomePage.htm


- United States Fish and Wildlife Service. National Wetlands Inventory http://www.fws.gov/nwi/Overview.html
- USDA, NRCS. 2003. Field Indicators of Hydric Soils in the United States, Version 5.01, G.W. Hurt, P.M. Whited, and R.F. Pringle (eds.). USDA, NRCS in cooperation with the National technical Committee for Hydric Soils, Fort Worth, TX.





Appendix Appendix A | Figures


Wetland Delineation Report | May 31, 2024





















Appendix B | Data Forms

Wetland Delineation Report | May 31, 2024

WETLAND DETERMINATION DATA FORM – Midwest Region

Project/Site: NCHP	City/County: Columbus / I	Franklin	Sampling Date: 5/19/23
Applicant/Owner: NiSource/Campos			Sampling Point: W001-PEM
Investigator(s): REK	Section, Township, Range:		
Landform (hillslope, terrace, etc.): Slight depression		cave, convex, none):	Concave
Slope (%): 5 Lat: 40.018808	Long: -83.044274		Datum: NAD 83
Soil Map Unit Name: Crosby silt loam, Southern Ohio Till Plain	, 2-6% Slopes	NWI classific	ation: <u>None</u>
Are climatic / hydrologic conditions on the site typical for this time of ye	ear? Yes No	_ (If no, explain in R	emarks.)
Are Vegetation, Soil, or Hydrology significantly	disturbed? Are "Norn	nal Circumstances" p	oresent? Yes X No
Are Vegetation, Soil, or Hydrology naturally pr	oblematic? (If needed	l, explain any answe	rs in Remarks.)
SUMMARY OF FINDINGS – Attach site map showing	a sampling point loca	tions. transects	. important features. etc.

Hydrophytic Vegetation Present? Hydric Soil Present? Wetland Hydrology Present?	Yes X No Yes X No Yes X No	ls the Sampled Area within a Wetland?	Yes <u>X</u> No
Remarks:			
PEM rep to W001. Taken in forest	ed area, wet understory with u	pland canopy coverage	

VEGETATION – Use scientific names of plants.

20, 20	Absolute	Dominant	Indicator	Dominance Test worksheet:
Tree Stratum (Plot size: 30x30)	% Cover	Species?		Number of Dominant Species
1. Acer rubrum	15	<u>N</u>	FAC	That Are OBL, FACW, or FAC: _5(A)
2. Ulmus americana	20	Y	FACW	
3. Fraxinus pennsylvanica	10	N	FACW	Total Number of Dominant Species Across All Strata: 5 (B)
4. Acer saccharum	15	N	FACU	
5. Populus deltoides	20	Y	FAC	Percent of Dominant Species That Are OBL, FACW, or FAC: 100 (A/B)
	80	= Total Co	ver	
Sapling/Shrub Stratum (Plot size: 15x15)				Prevalence Index worksheet:
1. Lonicera mackaii*	<u>(15)</u>		NL*	Total % Cover of:Multiply by:
2. Franxinus pennsylvanica	10	<u>Y</u>	FACW	OBL species x 1 =
3				FACW species x 2 =
4				FAC species x 3 =
5				FACU species x 4 =
572	10	= Total Co	ver	UPL species x 5 =
Herb Stratum (Plot size: 5x5)	05	V		Column Totals: (A) (B)
1. Impatiens capensis	35	<u>Y</u>	FACW	
2. Pilea pumila	60	<u>Y</u>	FACW	Prevalence Index = B/A =
3. Viola papilionacea	(5)		NL*	Hydrophytic Vegetation Indicators:
4. Persicaria virginiana	2	N	FAC	1 - Rapid Test for Hydrophytic Vegetation
5. Iris pseudacorus	3	N	OBL	2 - Dominance Test is >50%
6. Toxicodendron radicans	10	Ν	FAC	3 - Prevalence Index is ≤3.0 ¹
7. Leersia oryzoides	15	Ν	OBL	4 - Morphological Adaptations ¹ (Provide supporting
8				data in Remarks or on a separate sheet)
9				Problematic Hydrophytic Vegetation ¹ (Explain)
10				
	125	= Total Co	ver	¹ Indicators of hydric soil and wetland hydrology must
Woody Vine Stratum (Plot size: 30x30)				be present, unless disturbed or problematic.
1. Absent				Hydrophytic
2				Vegetation
		= Total Co		Present? Yes X No
Remarks: (Include photo numbers here or on a separate s		10101 00		1
*Not listed in Midwest plant list, not included in hyd	,	lcs		

Upland trees in canopy layer, outside of wetland boundaries.

Sampling Point: W001-

Profile Desc	ription: (Describe	to the de	pth needed to docum	nent the	indicator	or confirm	the absence of	indicators.)
Depth	Matrix			x Featur				
(inches)	Color (moist)	%	Color (moist)	%	Type ¹	_Loc ²	Texture	Remarks
0.8	10 YR 2/1	100					Loam	
8-16	10 YR 2/1	90	10 YR 4/6	8	С	M/PL	Loam	
			10 YR 5/2	2	– <u>–</u>	M		
			10 111 3/2	<u> </u>				
		lation DM					21 continue 1	DI - Dava Lipipa, M-Matrix
Hydric Soil		Dietion, Riv	I=Reduced Matrix, MS	5-Maske	a Sana G	ans.		PL=Pore Lining, M=Matrix. r Problematic Hydric Soils ³ :
			Sandy		atrix (CA)			airie Redox (A16)
Histosol	oipedon (A2)			Redox (S	atrix (S4)		Dark Sur	
Black Hi	,			d Matrix (,			ganese Masses (F12)
	n Sulfide (A4)				ineral (F1)			Illow Dark Surface (TF12)
	Layers (A5)				latrix (F2)			xplain in Remarks)
	ick (A10)			d Matrix				
Depleted	d Below Dark Surfac	e (A11)	X Redox [Dark Sur	face (F6)			
Thick Da	ark Surface (A12)		Deplete	d Dark S	urface (F7)	³ Indicators of	f hydrophytic vegetation and
Sandy M	lucky Mineral (S1)		Redox [Depressi	ons (F8)			ydrology must be present,
	icky Peat or Peat (S	,					unless di	sturbed or problematic.
Restrictive I	Layer (if observed)	:						
Туре:							Hydric Soil Pr	resent? Yes X No
Depth (ind	ches):							resent? fes <u>v</u> No
Remarks:								
HYDROLO	GY							
	drology Indicators:							
-			ired; check all that ap	volv)			Secondary	Indicators (minimum of two required)
	Water (A1)	Jie is lequ	Water-Stai					
	iter Table (A2)		Aquatic Fa				<u>.</u>	e Soil Cracks (B6) ge Patterns (B10)
X Saturatio			Aqualic Fa	,	,			eason Water Table (C2)
								sh Burrows (C8)
	arks (B1)		Hydrogen X Oxidized F			ing Booto		tion Visible on Aerial Imagery (C9)
	nt Deposits (B2)					-		
	posits (B3)		Presence			4) ed Soils (C6		d or Stressed Plants (D1) orphic Position (D2)
	at or Crust (B4) posits (B5)						·	leutral Test (D5)
· — ·	on Visible on Aerial	Imageny (F	Thin Muck (37) Gauge or V					leuliar rest (D3)
	Vegetated Concav							
Field Obser	-	e ounace			emarks			
Surface Wat		/oc	No X Depth (ind	choe).				
			No X Depth (ind					
Water Table		~~ ×	No Depth (inc	ones)	1		and Hudroless F	Present? Yes X No
Saturation P (includes cap	oillary fringe)							resent? res <u> </u>
Describe Re	corded Data (stream	i gauge, m	ionitoring well, aerial p	unotos, p	evious in:	spections),	ii availadie:	
Remarks:	_ ·							
linear drain	ge feature inlet to	wetland						

WETLAND DETERMINATION DATA FORM – Midwest Region

Project/Site: NCHP		City/County	: Columbi	us / Franklin	Sampling Date: 5/19/23
Applicant/Owner: NiSource/Campos		State: OH Sampling Point: W001			
Investigator(s): REK		Section, To	ownship, Ra	nge: T1N R18W	
— 1				(concave, convex, none):	None
Soil Map Unit Name: Crosby silt loam, Southern Ohio				NWI classific	
Are climatic / hydrologic conditions on the site typical for thi				(If no, explain in R	
Are Vegetation, Soil, or Hydrologys					present? Yes X No
Are Vegetation, Soil, or Hydrology r				eded, explain any answe	
SUMMARY OF FINDINGS – Attach site map					
Hydrophytic Vegetation Present? Yes N	lo X				
Hydric Soil Present? Yes N		ls ti	ne Sampled		
Wetland Hydrology Present? Yes N	lo <u>X</u>	with	nin a Wetla	nd? Yes	No_ <u>X</u>
Remarks: Upland rep to W001. Taken upslope of wetland, ir					
VEGETATION – Use scientific names of plants				1	
Tree Stratum (Plot size: 30x30)		Species?		Dominance Test work Number of Dominant S	
1. Quercus rubra	- 30	- <u>Y</u>	FACU	That Are OBL, FACW,	or FAC: (A)
2. Acer saccharum	- <u>35</u> 15	- <u>Y</u>	FACU	Total Number of Domir	nant
3. Fagus grandifolia			- <u> </u>	Species Across All Stra	ata: <u>3</u> (B)
4				Percent of Dominant S	
5	80			That Are OBL, FACW,	or FAC: <u>33%</u> (A/B)
Sapling/Shrub Stratum (Plot size: 15x15)	00	= Total Co	ver	Prevalence Index wor	ksheet:
1. Lonicera mackaii	80	-	NL*	Total % Cover of:	Multiply by:
2. Tsuga canadensis	5	Y	FACU	OBL species	x 1 =
3				FACW species	
4					x 3 =
5				FACU species 85	x 4 = <u>340</u>
5x5	5	= Total Co	ver		x 5 =
Herb Stratum (Plot size: 5x5)	15		NL*	Column Totals: 105	(A) <u>400</u> (B)
1. Lonicera mackaii 2. Toxicodendron radicans	$-\frac{13}{20}$	- <u>-</u> Y	FAC	Prevalence Index	r = B/A = 3.8
				Hydrophytic Vegetati	
3			·		Hydrophytic Vegetation
4 5			·	2 - Dominance Tes	
6				3 - Prevalence Inde	
7		·	·		Adaptations ¹ (Provide supporting
8				data in Remark	s or on a separate sheet)
9				Problematic Hydro	phytic Vegetation ¹ (Explain)
10				1	
Woody Vine Stratum (Plot size: 30x30)	20	= Total Co	ver	¹ Indicators of hydric so be present, unless dist	il and wetland hydrology must urbed or problematic.
1. Absent				Hydrophytic	
2				Vegetation	\sim
		= Total Co	ver	Present? Ye	esNoX
Remarks: (Include photo numbers here or on a separate *Not listed in Midwest plant list, not included in hyd		alcs			

SOIL

Sampling Point: ______

Profile Des	cription: (Describ	e to the dept	h needed to docun	nent the i	ndicator	or confirm	the absence of	of indicators.)
Depth	Matrix			Feature				
(inches)	Color (moist)		Color (moist)	%	Type ¹	_Loc ²	Texture	Remarks
0-12	10 YR 3/3	100					Loam	
		epletion, RM=	Reduced Matrix, MS	=Masked	Sand Gra	ains.		PL=Pore Lining, M=Matrix.
Hydric Soil	Indicators:							for Problematic Hydric Soils ³ :
Histoso				leyed Ma				Prairie Redox (A16)
	pipedon (A2)			edox (S5	-			urface (S7)
	listic (A3)			Matrix (S	,			anganese Masses (F12)
	en Sulfide (A4)				neral (F1)			nallow Dark Surface (TF12)
	ed Layers (A5)			Bleyed Ma			Other (i	Explain in Remarks)
	luck (A10) ed Below Dark Surf			d Matrix (l)ark Surfa	,			
·	ark Surface (A12)	ace (ATT)			ice (F6) irface (F7)		³ Indicatore	of hydrophytic vegetation and
	Mucky Mineral (S1)			epressio				hydrology must be present,
	ucky Peat or Peat			oprocoio				disturbed or problematic.
	Layer (if observe							
_								
	nches):						Hydric Soil I	Present? Yes No
Remarks:	icites).							
HYDROLO								
-	drology Indicator							
Primary Ind	<u>icators (minimum o</u>	f one is require	ed; check all that ap	ply)			<u>Secondar</u>	ry Indicators (minimum of two required)
Surface	e Water (A1)		Water-Stai		, ,			ace Soil Cracks (B6)
High W	ater Table (A2)		Aquatic Fa	una (B13)		Drain	nage Patterns (B10)
	ion (A3)		True Aqua				Dry-\$	Season Water Table (C2)
	Marks (B1)		Hydrogen		. ,			fish Burrows (C8)
	ent Deposits (B2)		Oxidized R			•		ration Visible on Aerial Imagery (C9)
	eposits (B3)		Presence of the second seco	of Reduce	ed Iron (C4	-)	Stunt	ted or Stressed Plants (D1)
	lat or Crust (B4)		Recent Iron	n Reducti	on in Tilleo	d Soils (C6	·	morphic Position (D2)
	posits (B5)		Thin Muck				FAC-	-Neutral Test (D5)
Inundat	tion Visible on Aeria	al Imagery (B7) Gauge or V	Vell Data	(D9)			
Sparse	ly Vegetated Conca	ave Surface (E	88) Other (Exp	lain in Re	marks)			
Field Obse	rvations:							
Surface Wa	ter Present?		$\log X$ Depth (inc					
Water Table	e Present?	Yes N	No \underline{X} Depth (inc	:hes):				<u>.</u>
Saturation F	Present?	Yes N	10 X Depth (inc	:hes):		_ Wetla	and Hydrology	Present? Yes No
	apillary fringe)							
	ecorded Data (strea	in gauge, mo	nitoring well, aerial p	notos, pr	evious ins	pections),	ii avaliable:	
N/A								
Remarks:	or spoondary in	dicators obs	served					
nio primary	/ or secondary ir	00001015 005						

WETLAND DETERMINATION DATA FORM – Midwest Region


				linencotriogion		
Project/Site: NCHP		City/Count	y: <u>Columb</u> i	us / Franklin	_ Sampling Date: 5/19/2	3
Applicant/Owner: NiSource/Campos				State: OH	_ Sampling Point: STP0	01
Investigator(s): <u>REK</u>		Section, To	ownship, Ra	nge: <u>T1N R18W</u>		
Landform (hillslope, terrace, etc.): Flat			Local relief	(concave, convex, none)	: <u>None</u>	
Slope (%): 0 Lat: 40.018755		Long: <u>-83</u>	.041464		Datum: NAD 83	
Soil Map Unit Name: Crosby silt loam, Southern Ohio	Till Plain,	2-6% Slo		NWI classifi		
Are climatic / hydrologic conditions on the site typical for this	s time of ye	ar? Yes	No	(If no, explain in I	Remarks.)	
Are Vegetation, Soil, or Hydrology s	ignificantly	disturbed?	Are	'Normal Circumstances"	present? Yes X N	lo
Are Vegetation, Soil, or Hydrology n				eded, explain any answ		
SUMMARY OF FINDINGS – Attach site map						e oto
-		Jampin	ig point i		s, important leature	3, 010
Hydrophytic Vegetation Present? Yes N		ls t	he Sampled	Area		
Hydric Soil Present? Yes Ni Wetland Hydrology Present? Yes Ni			hin a Wetla		No <u>×</u>	
Remarks:						
VEGETATION – Use scientific names of plants.						
Tree Stratum (Plot size: 30x30)	Absolute % Cover	Dominan Species?	t Indicator	Dominance Test wor		
1. Quercus rubra	60	Y	FACU	Number of Dominant S That Are OBL, FACW,		(A)
2. Ulmus rubra	25	Y	FAC			
3. Fagus grandifolia	10	N	FAC	Total Number of Domi Species Across All Str	0	(B)
4. Acer saccharum	5	<u>N</u>	FACU	Percent of Dominant S	Species	
5				That Are OBL, FACW,		(A/B)
Sapling/Shrub Stratum (Plot size: 15x15)	100	= Total Co	ver	Prevalence Index wo	rksheet:	
1. Lonicera mackaii	90	-	NL*	Total % Cover of:		_
2				OBL species	x 1 =	_
3				FACW species		_
4					x 3 = 105	_
5				FACU species 65		_
Herb Stratum (Plot size: 5x5)	0	= Total Co	ver		x 5 = <u>-</u>	_
				Column Totals: 100	(A) <u>365</u>	(B)

4		FAC species 35 x 3 = 105
5		FACU species <u>65</u> x 4 = <u>260</u>
Herb Stratum (Plot size: 5x5)	0 = Total Cover	UPL species $x 5 =$ Column Totals:100(A)365(B)
2		Prevalence Index = B/A =3.65
3		Hydrophytic Vegetation Indicators:
4		1 - Rapid Test for Hydrophytic Vegetation
5.		2 - Dominance Test is >50%
6		3 - Prevalence Index is ≤3.0 ¹
7		4 - Morphological Adaptations ¹ (Provide supporting data in Remarks or on a separate sheet)
8 9		Problematic Hydrophytic Vegetation ¹ (Explain)
10		
Woody Vine Stratum (Plot size:)	= Total Cover	¹ Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.
1. Absent		Hydrophytic
2		Vegetation
	= Total Cover	Present? Yes <u>No X</u>
Remarks: (Include photo numbers here or on a separate *Not listed in Midwest plant list, not included in hyc		

SOIL

Sampling Point: _____STP001

Profile Des	cription: (Describ	e to the dept	n needed to docur	nent the i	ndicator	or confirn	n the absence of	f indicators.)
Depth	Matrix			x Feature			_	_
(inches)	Color (moist)	%	Color (moist)	%	Type ¹	Loc ²	Texture	Remarks
0-14	10YR 3/3						Loam	
<u> </u>								
¹ Type: C=C	oncentration, D=De	epletion, RM=	Reduced Matrix, M	- S=Maskeo	d Sand Gra	ains.	² Location:	PL=Pore Lining, M=Matrix.
Hydric Soil								or Problematic Hydric Soils ³ :
Histoso	I (A1)		Sandy (Gleyed Ma	atrix (S4)		Coast Pr	rairie Redox (A16)
	pipedon (A2)			Redox (S5			Dark Su	rface (S7)
Black H	istic (A3)		Stripped	d Matrix (S	66)			nganese Masses (F12)
	en Sulfide (A4)			Mucky Mir				allow Dark Surface (TF12)
	d Layers (A5)		_ /	Gleyed Ma	. ,		Other (E	xplain in Remarks)
	uck (A10) d Bolow Dork Surf	00 (644)		d Matrix (,			
	d Below Dark Surfa ark Surface (A12)	ace (A11)		Dark Surfa d Dark Su	ace (F6) Irface (F7)		³ Indicators o	f hydrophytic vegetation and
	Mucky Mineral (S1)			Depressio				hydrology must be present,
	ucky Peat or Peat (Depressio	110 (1 0)			isturbed or problematic.
	Layer (if observed							
Type:								~
	ches):						Hydric Soil P	resent? Yes No
Remarks:								
HYDROLO								
	drology Indicator							
Primary Indi	cators (minimum of	fone is require	ed; check all that ap	oply)				Indicators (minimum of two required)
	Water (A1)		Water-Sta		, ,			ce Soil Cracks (B6)
	ater Table (A2)		Aquatic Fa					age Patterns (B10)
Saturati	()		True Aqua		, ,			eason Water Table (C2)
	/arks (B1)		Hydrogen					sh Burrows (C8)
	nt Deposits (B2)		Oxidized F			-	· · · <u> </u>	ation Visible on Aerial Imagery (C9)
	posits (B3)		Presence		•	/		ed or Stressed Plants (D1)
	at or Crust (B4) posits (B5)		Recent Iro			a Solis (Ce	, <u> </u>	orphic Position (D2) Neutral Test (D5)
· — ·	ion Visible on Aeria	Imagany (P7)	Thin Muck				FAC-1	Neutral Test (D5)
	y Vegetated Conca							
Field Obser	<u> </u>	ive ounace (D			inarko/			
Surface Wat			o <u>X</u> Depth (in	chee).				
Water Table			o X Depth (in			_		
								Present? Yes No
Saturation P (includes ca	resent? pillary fringe)	165 N	o X Depth (in	cries).			and hydrology	
	ecorded Data (strea	m gauge, mor	itoring well, aerial	photos, pr	evious ins	pections),	if available:	
N/A								
Remarks:								
No primary	or secondary in	dicators obs	erved					



toxic pollutants

nutrient enrichment

Attachment C

ORAM v. 5.0 Field Form Quantitative Rating Rater(s): REIL Date: 5/19/23 Site: SOURC ι WOOI (PEM) Metric 5. Special Wetlands. Check all that apply and score as indicated. Bog (10) Fen (10) Old growth forest (10) Mature forested wetland (5) Lake Erie coastal/tributary wetland-unrestricted hydrology (10) Lake Erie coastal/tributary wetland-restricted hydrology (5) Lake Plain Sand Prairies (Oak Openings) (10) Relict Wet Prairies (10) Known occurrence state/federal threatened or endangered species (10) Significant migratory songbird/water fowl habitat or usage (10) Category 1 Wetland. See Question 1 Qualitative Rating (-10) Metric 6. Plant communities, interspersion, microtopography. 3 x 20 ots subtotal 6a. Wetland Vegetation Communities. Vegetation Community Cover Scale Score all present using 0 to 3 scale. Absent or comprises <0.1ha (0.2471 acres) contiguous area 0 Aquatic bed 1 Present and either comprises small part of wetland's Emergent vegetation and is of moderate quality, or comprises a Shrub significant part but is of low quality 4 Forest 2 Present and either comprises significant part of wetland's Mudflats vegetation and is of moderate quality or comprises a small Open water part and is of high quality Other 3 Present and comprises significant part, or more, of wetland's D 6b. horizontal (plan view) Interspersion. vegetation and is of high quality Select only one. High (5) Narrative Description of Vegetation Quality Moderately high(4) low Low spp diversity and/or predominance of nonnative or Moderate (3) disturbance tolerant native species Moderately low (2) Native spp are dominant component of the vegetation, mod Low (1) although nonnative and/or disturbance tolerant native spp can also be present, and species diversity moderate to None (0) 6c. Coverage of invasive plants. Refer moderately high, but generally w/o presence of rare to Table 1 ORAM long form for list. Add threatened or endangered spp or deduct points for coverage high A predominance of native species, with nonnative spp Extensive >75% cover (-5) and/or disturbance tolerant native spp absent or virtually absent, and high spp diversity and often, but not always, Moderate 25-75% cover (-3) Sparse 5-25% cover (-1) the presence of rare, threatened, or endangered spp Nearly absent <5% cover (0) Absent (1) Mudflat and Open Water Class Quality 6d. Microtopography. Absent <0.1ha (0.247 acres) 0 Score all present using 0 to 3 scale. 1 Low 0.1 to <1ha (0.247 to 2.47 acres) Vegetated hummucks/tussucks 2 Moderate 1 to <4ha (2.47 to 9.88 acres) Coarse woody debris >15cm (6in) 3 High 4ha (9.88 acres) or more Standing dead >25cm (10in) dbh Amphibian breeding pools **Microtopography Cover Scale** Absent 0 Present very small amounts or if more common 1

 Present very small amounts of it more common of marginal quality
 Present in moderate amounts, but not of highest quality or in small amounts of highest quality
 Present in moderate or greater amounts and of highest quality

Attachment C

End of Quantitative Rating. Complete Categorization Worksheets.

(at 1/2

Attachment 20/9	
ChieEPA Primary Headwater Habitat Evaluation Form HHEI Score (sum of metrics 1, 2, 3) :	
SITE NAME/LOCATION	2
LENGTH OF STREAM REACH (R) 2001 LAT 40.01728 LONG: 83 0405 RIVER CODE RIVER MILE	, C
LENGTH OF STREAM REACH (R) COLLAT 10.01 (CO LONG. 0.0400 RIVER CODE RIVER MILE	
NOTE: Complete All Items On This Form - Refer to "Field Evaluation Manual for Ohio's PHWH Streams" for Instructions	•
STREAM CHANNEL DINONE / NATURAL CHANNEL DIRECOVERED DIRECOVERING DIRECENT OR NO RECOVERY MODIFICATIONS: CULVERTED Red XIX	1
1. SUBSTRATE (Estimate percent of every type of substrate present. Check ONLY two predominant substrate TYPE boxes (Max of 32). Add total number of significant substrate types found (Max of 8). Final metric score is sum of boxes A & B.	
TYPE PERCENT TYPE PERCENT TYPE Image: Description of the state o	
BEDROCK [16 pt] BEDROCK [16 pt] Subs	
COBBLE (65-256 mm) [12 pts] CLAY or HARDPAN [0 pt] GRAVEL (2-64 mm) [9 pts] ID MUCK [0 pts]	= 40
\square GRAVEL (2-64 mm) [9 pts] \square \square MUCK [0 pts] \square SAND (<2 mm) [6 pts]	>
Total of Percentages of (A) (B) (B) (B) (B) (B) (B) (B) (B) (B) (B	в
SCORE OF TWO MOST PREDOMINATE SUBSTRATE TYPES:	
	Depth
	(= 30
	5
263	
COMMENTSMAXIMUM POOL DEPTH (centimeters):	
>4.0 meters (> 13') [30 pts] > 1.0 m - 1.5 m (> 3' 3" - 4' 8") [15 pts] Wi	nkfull idth
> 3.0 m - 4.0 m (> 9' 7" - 13') [25 pts] ≤ 1.0 m (≤ 3' 3") [5 pts] ✓ > 1.5 m - 3.0 m (> 9' 7" - 4' 8") [20 pts]	<u>c=30</u>
COMMENTSAVERAGE BANKFULL WIDTH (meters)	Ó
This information <u>must</u> also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY 화NOTE: River Left (L) and Right (R) as looking downstream :	
RIPARIAN WIDTH FLOODPLAIN QUALITY	
L R (Per Bank) L R (Most Predominant per Bank) L R Wide >10m D Mature Forest, Wetland D Conservation Tillage	
Moderate 5-10m Immature Forest, Shrub or Old Urban or Industrial	
Narrow <5m Residential Park, New Field Open Pasture, Row	
None Fenced Pasture Image: Copy of Construction	
COMMENTS	
FLOW REGIME (At Time of Evaluation) (Check ONLY one box): Stream Flowing D Moist Channel, isolated pools, no flow (Intermittent)	
Subsurface flow with isolated pools (Interstitial) Dry channel, no water (Ephemeral)	
SINUOSITY (Number of bends per 61 m (200 ft) of channel) (Check ONLY one box): None 1.0 2.0 3.0	
0.5 1.5 2.5 >3	
STREAM GRADIENT ESTIMATE	

Δ	tta	ch	m	er	ht	C

ADDITIONAL STREAM INFORMATION (This information Must Also be Completed):	
QHEI PERFORMED? - 🗖 Yes 🔎 No QHEI Score (If Yes, Attac	ch Completed QHEI Form)
DOWNSTREAM DESIGNATED USE(S)	Distance from Evaluated Stream
MAPPING: ATTACH COPIES OF MAPS, INCLUDING THE ENTIRE WATERSHED	AREA. CLEARLY MARK THE SITE LOCATION
USGS Quadrangle Name: <u>NW</u> (Clumby) NRCS Soil Map F County: <u>Franklik</u> Township / City: <u>CO</u>	age: NRCS Soil Map Stream Order
MISCELLANEOUS	
Base Flow Conditions? (Y/N): Date of last precipitation: 2/25/22	Quantity:
Photograph Information:	
Elevated Turbidity? (Y/N): N Canopy (% open): 3070	
Were samples collected for water chemistry? (Y/N): (Note lab sample no. or id. a	and attach results) Lab Number:
Field Measures: Temp (°C) Dissolved Oxygen (mg/l) pH (S.U.) _	Conductivity (µmhos/cm)
Is the sampling reach representative of the stream (Y/N) $\underline{\checkmark}$ If not, please explain:	
Additional comments/description of pollution impacts:	
BIOTIC EVALUATION	-
Performed? (Y/N): (If Yes, Record all observations. Voucher collections option ID number. Include appropriate field data sheets from the P	al. NOTE: all voucher samples must be labeled with the site rimary Headwater Habitat Assessment Manual)
Fish Observed? (Y/N) Voucher? (Y/N) Salamanders Observed? (Y/N) Frogs or Tadpoles Observed? (Y/N) Oucher? (Y/N) Aquatic Macroinvertebra	→ Voucher? (Y/N) → Voucher? (Y/N)
Comments Regarding Biology:	

DRAWING AND NARRATIVE DESCRIPTION OF STREAM REACH (This must be completed):

Include important landmarks and other features of interest for site evaluation and a narrative description of the stream's location AG = Felg

wooded buffer wooded buffer agfield DZ CLV/Rd King



	la a duucda a Ula bita ta Europuati	Attachment 5020
ChieEPA Primary H	eadwater Habitat Evaluati HHEI Score (sur	on Form m of metrics 1, 2, 3): 49
SITE NAME/LOCATION CHP	20	- CC. 2
	20 RIVER BASIN <u>Sci Oto</u> AT 4 <u>6.007917</u> LONG. 83.0732 RIVER (
DATE 3372 SCORER 2EK		
	- Refer to "Field Evaluation Manual for Oh	io's PHWH Streams" for Instructions
STREAM CHANNEL		
MODIFICATIONS: Channelized	, concrete line, SW	inputs
	y type of substrate present. Check ONLY two pre	
(Max of 32). Add total number of significa	nt substrate types found (Max of 8). Final metric sco	
BLDR SLABS [16 pts]	SILT [3 pt]	10 Points
BOULDER (>256 mm) [16 pts] BEDROCK [16 pt]	LEAF PACK/WOODY DI	Substrate
COBBLE (65-256 mm) [12 pts]	CLAY or HARDPAN [0	Max = 40
GRAVEL (2-64 mm) [9 pts] GRAVEL (2-64 mm) [9 pts] SAND (<2 mm) [6 pts]		70 114
The second	ARTIFICIAL [3 pts]	
Total of Percentages of Albert Stabs, Boulder, Cobble, Bedrock	<u>5</u> ^(A) G	^(B) 5 A+B
SCORE OF TWO MOST PREDOMINATE SUBST	TRATE TYPES: TOTAL NUMBER	OF SUBSTRATE TYPES:
 > 30 centimeters [20 pts] > 22.5 - 30 cm [30 pts] > 10 - 22.5 cm [25 pts] 	I culverts or storm water pipes) (Check ONLY on [A], >5 cm - 10 cm [15 pt: 	sj K
COMMENTS		DL DEPTH (centimeters):
3. BANK FULL WIDTH (Measured as the > 4.0 meters (> 13') [30 pts] > 3.0 m - 4.0 m (> 9' 7" - 13') [25 pts] > 1.5 m - 3.0 m (> 9' 7" - 4' 8") [20 pts] COMMENTS	> 1.0 m - 1.5 m (> 3' 3 ≤ 1.0 m (≤ 3' 3") [5 pt	
RIPARIAN ZONE AND FLOOD	This information must also be completed PLAIN QUALITY \$\frac{1}{2}\$NOTE: River Left (L) and F	l Right (R) as looking downstream☆
RIPARIAN WIDTH	FLOODPLAIN QUALITY L R (Most Predominant per Bank)	L R
L R (Per Bank)	Mature Forest, Wetland	Conservation Tillage
Moderate 5-10m	Field	Urban or Industrial
Narrow <5m	Residential, Park, New Field	Open Pasture, Row
Marrow Sin	Fenced Pasture	Crop Mining or Construction
COMMENTS		
FLOW REGIME (At Time of Eva Stream Flowing Subsurface flow with isolated poor COMMENTS	ols (Interstitial) Dry channel	nel, isolated pools, no flow (Intermittent) , no water (Ephemeral)
SINUOSITY (Number of bends	per 61 m (200 ft) of channel) (Check ONLY one	box):
None 0.5	1.0 2.0 1.5 2.5	□ 3.0 □ >3


Attachment-O	mont O
--------------	--------

ADDITIONAL STREAM	INFORMATION (This Information Must Also be C	<u>Completed):</u>
QHEI PERFOR	RMED? - 🗍 Yes 🕱 No QHEI Score	_ (If Yes, Attach Completed QHEI Form)
WWH Name: Scie	-	Distance from Evaluated Stream Distance from Evaluated Stream Distance from Evaluated Stream
		WATERSHED AREA. CLEARLY MARK THE SITE LOCATION
	XNKIA Township/	CITY: Upper Arlington
MISCELLANE		
Base Flow Conditions? (Y/N): Date of last precipitation:	5/27 Quantity: 0.8
Elevated Turbidity? (Y/N)): N Canopy (% open): 100%	2
Nere samples collected f	for water chemistry? (Y/N): (Note lab sam	nple no. or id. and attach results) Lab Number:
Field Measures: Tem	p (°C) Dissolved Oxygen (mg/l)	pH (S.U.) Conductivity (µmhos/cm)
s the sampling reach rep	presentative of the stream (Y/N) If not, please	ise explain:
dditional comments/des	scription of pollution impacts:	
BIOTIC EVAL Performed? (Y/N): Fish Observed? (Y/N) Frogs or Tadpoles Obser Comments Regarding Bio	(If Yes, Record all observations. Voucher coll ID number. Include appropriate field data she Voucher? (Y/N) Voucher? (Y/N) Salamanders Obser ved? (Y/N) Voucher? (Y/N) Aquatic Ma	lections optional. NOTE: all voucher samples must be labeled with the site eets from the Primary Headwater Habitat Assessment Manual) rved? (Y/N) Voucher? (Y/N) Voucher? (Y/N) lacroinvertebrates Observed? (Y/N) Voucher? (Y/N)
1		E STREAM REACH (This must be completed):
DRAWING	G AND NARRATIVE DESCRIPTION OF	F STREAM REACH (This <u>must</u> be completed): te evaluation and a narrative description of the stream's location
Include important	Residential	te evaluation and a narrative description of the stream's location $\mathcal{L}_{\mathcal{M}}$
	¥-	Vegad G
		-> Vigues
FLOW →	Desidential	-> Page C Thurder

PHWH Form Page - 2



Appendix C | USACE Antecedent Precipitation Tool




1094.88	2022-01-31	2.189764	3.494882	2.220473	Noi	Norma		2	2	4
1ess (2022-02)	2022-01-01	2.555906	3.585433	3.736221		Wet		m	1	m
Wet Season	Result								Wetter	Wetter than Normal - 16
	Weat	Weather Station Name	Coordinates	ates Elevation (ft)	n (ft) Distance (mi)		Elevation D W	/eighted ∆	Days (Normal)	Weighted Δ Days (Normal) Days (Antecedent)
	B	BUCKEYE LAKE 1 N	39 9522, -82 4819		888,123 6.	6.315 2	206.757	4.148	11082	06
	KIF	KIRKERSVILLE 3.3 N	39,998, -82,5986		1075,131 1.	1.703	19.749	0.8	80	0
		PATASKALA 3.2 E	39,998, -82,6136		1074.147 2.	2.399	20.733	1,129	7	0
	GR/	GRANVILLE 2.6 WSW	40.0527, -82.5445		1064.961 3.	3.169	29.919	1.521	10	0
	PA	PATASKALA 2.1 ENE	40 013, 82 6381		1171.916 3.	3.492	77.036	1,841	1	0
	d	PATASKALA 2.0 NE	40.024, -82.6511		1216.864 4.	4.261	121.984	2.437	36	0
	ALEX	ALEXANDRIA 2.1 NNW	40 1182, -82 6265		1080.053 7.	7.881	14.827	3,663	32	0
	N	NEWARK HEATH AP	40.0228, -82.4625		883,858 5.	5.848 2	211.022	3.866	m	0
		UTICA 4 WSW	40.2061, -82.52		1134.843 13.	13.691	39.963	6.708	1	0
	N	NEWARK WTR WKS	40.0875, -82.4128		834.974 9.	9.911	259.906	7.036	173	0



Severe wetne

Drought Index (PDSI) WebWIMP H₂O Balance



Weather Station Name	Coordinates	Elevation (ft)	Elevation (ft) Distance (mi)	Elevation Δ	Elevation Δ Weighted Δ	Days Normal	Days Normal Days Antecedent
LAURELVILLE	39,4706, -82,7344	759.843	39.783	74.526	20.867	11080	06
LANCASTER 4.2 SSE	39.668, -82.5636	800.853	16.394	41.01	8.05	15	0
CIRCLEVILLE	39,6103, -82,9556	674.869	15.234	84.974	8.15	227	0
LANCASTER	39.7156, -82.6072	827.1	18,232	67.257	9.431	29	0
LANCASTER FAIRFIELD CO AP	39.7572, -82.6633	849,081	20.161	89.238	10.872	2	0



m					
40.021777, -82.950994	2023-05-19	834.369	Mild wetness (2023-04)	Wet Season	
Coordinates	Observation Date	Elevation (ft)	Drought Index (PDSI)	WebWIMP H ₂ O Balance	



Colliers Engineering & Design is a trusted provider of multi-discipline engineering, design and consulting services providing customized solutions for public and private clients through a network of offices nationwide.

For a full listing of our office locations, please visit colliersengineering.com

1 877 627 3772



Civil/Site • Traffic/Transportation • Governmental • Survey/Geospatial Infrastructure • Geotechnical/Environmental • Telecommunications • Utilities/Energy