

290 W. Nationwide Blvd.  
Columbus, Ohio 43215  
Direct: 614.315.3391  
mlthompson@nisource.com



April 14, 2026

Ms. Tanowa Troupe  
Secretary, Office of Administration  
Ohio Power Siting Board  
180 East Broad Street  
Columbus, Ohio 43215

Re: *In the Matter of the Constructive Notice Application of Columbia Gas of Ohio, Inc. for a Certificate of Environmental Compatibility and Public Need for Adjustments to the West-Central NCHP Pipeline Project*  
**OPSB Case No. 26-0393-GA-BNR**

Dear Ms. Troupe:

Columbia Gas of Ohio, Inc. ("Columbia") submits this Construction Notice, pursuant to Adm.Code 4906-6-03(B) and 4906-6-05, concerning slight modifications (the "Adjustments") along the route that were previously approved by the Ohio Power Siting Board ("OPSB") known as the West-Central NCHP Pipeline Project (the "Project") in Case No. 24-0667-GA-BLN, with adjustments to the Project approved in Case Nos. 25-0345-GA-BNR, 25-0606-GA-BNR, 25-0809-GA-BLN, and 25-0774-GA-BNR.

Columbia also requests, pursuant to Adm.Code 4906-6-03(B) and 4906-6-04, expedited treatment of this Construction Notice for good cause. Good cause exists to grant expedited treatment because Project construction commenced in January 2026 and construction of the portion of the Project impacted by the Adjustment is scheduled to occur on or about April 28, 2026 as the Adjustments will allow Columbia to place the Project in-service in 2026 as planned.

Therefore, as required by Adm.Code 4906-6-05, please be advised of the following Adjustments with this Construction Notice focusing on only the areas that changed from the previously approved route:

**(1) Provide the name of the project and applicant's reference number, a brief description of the project, and why the project meets the requirements for a letter**

**of notification or construction notice application.**

In Case 24-0667-GA-BLN, the OPSB approved Columbia’s Letter of Notification to construct the Project. In Case Nos. 25-0345-GA-BNR, 25-0606-GA-BNR, 25-0809-GA-BLN and 25-0774-GA-BNR, the OPSB approved adjustments to the Project. The Project is generally located in the City of Upper Arlington. The Project, once completed in 2026, will be approximately 17,565 feet (3.2 miles) of 20-inch diameter high pressure gas transmission class pipeline. The total length of the Project is increasing by 15 feet with the Adjustments, and the total length of pipe that is shifting due to the Adjustments is 45 feet.

This Construction Notice requests Adjustments to the Project route that total less than one mile and does not constitute any change to the previously planned workspaces or change in construction installation methods. The adjustments are as follows:

No.	Station Location	Description of Change	A.S. #	Reason for Change
1	W of 59+15	20” gas main running perpendicular to the right-of-way along Brandon Rd was shifted 15’ north	L-2007	This shift was to ensure alignment with pipe within a regulator station at Brandon Rd.
2	W of 59+15	20” gas main running perpendicular to the right-of-way along Brandon Rd was shifted 15’ north	L-2007	This shift was to ensure alignment with pipe within a regulator station at Brandon Rd.
3	W of 0+00	20” gas main running perpendicular to the right-of-way along Brandon Rd was shifted 15’ north	L-2008	This shift was to ensure alignment with pipe within a regulator station at Brandon Rd.

- **Adjustments:** The Adjustments include the following gas main design updates described herein:

Adjustment 1: The alignment (as shown on L-2007) on the “20” TREMONT TO BRANDON ALIGNMENT” west of station 59+15 has shifted north 15 feet to align with pipe within a station along Brandon Road.

Adjustment 2: The alignment (as shown on L-2007) on the “20” PHASE 4 ALIGNMENT” west of station 59+15 has shifted north 15 feet to align with pipe within a station along Brandon Road.

Adjustment 3: The alignment (as shown on L-2008) on the “20” BRANDON TO RIDGEVIEW ALIGNMENT” west of station 0+00 has shifted north 15 feet to align with pipe within a station along Brandon Road.

The areas highlighted on **Attachments A** and **B**, called out as “Adjustments,” are the impacted areas that have changed from the previous Project approval.

**(2) If the proposed project is a gas pipeline, the applicant provide a statement explaining the need for the proposed facility.**

In addition to the rationale provided in the original filing for this Project, the Adjustments will help mitigate an alignment issue that arose during the course of construction on the Project. Making this alignment shift will allow Columbia to place the Project in-service by the end of 2026 as planned.

**(3) Provide the location of the project in relation to existing or proposed lines shown on an area system map of sufficient scale and size to show existing and proposed transmission facilities in the project area.**

The map shown in **Attachment A: Overview Map** illustrates the location of the Project in relation to existing transmission facilities in the Project area. The new pipeline is shown in red and the workspace for constructing the new pipeline is a black-dashed line. The existing NCHP pipeline that will be replaced is the green line.

**Attachment A** also highlights the Adjustments along the proposed pipeline route (see revision clouds).

**(4) Describe the alternatives considered and reasons why the proposed location or route is best suited for the proposed facility, including, but not be limited to, impacts associated with socioeconomic, ecological, construction, or engineering aspects of the project.**

The Adjustments on Brandon Road are necessary to ensure alignment of pipe within a Columbia facility on Brandon Road. No additional alternatives for this alignment were viable.

Columbia notes that the alignment shifts are still within the originally investigated workspaces for the Project and do not change any of the previously provided environmental reports. Please see **Attachments A** and **B** for the map(s) showing the Adjustments within the originally approved corridor.

**(5) Describe its public information program to inform affected property owners and residents of the nature of the project and the proposed timeframe for project**

**construction and restoration activities.**

Columbia will continue to utilize the same public information campaign as originally explained in Case No. 24-0667-GA-BLN. No additional public information efforts are planned given the minor nature of the Adjustments.

**(6) Provide an anticipated construction schedule and proposed in-service date of the project.**

The Adjustments are expected to be in-service on or about December 31, 2026.

**(7) Provide a map of at least 1:24,000 scale clearly depicting the facility and proposed limits of disturbance with clearly marked streets, roads, and highways, and an aerial image**

Please see the map attached as **Attachment A**.

**Attachment B** is comprised of the pipeline alignment drawings and the pipeline workspace drawings that contain area maps at a 1"= 40' scale. The maps and drawings depict the Project centerline, workspaces, and major street crossings. The Project centerline is shown as a dashed red line, and workspaces are shown as cyan-hatched areas bounded by dashed black lines for workspace within public right-of-way; grey-hatched areas bounded by dashed blue lines for permanent easement within private parcels; and pink-hatched areas bounded by dashed black lines for temporary easement within private parcels. Roads, streets, and other crossings are clearly labeled throughout.

**(8) Provide a list of properties for which the applicant has obtained easements, options, and/or land use agreements necessary to construct and operate the facility and a list of the additional properties for which such agreements have not been obtained.**

Please see **Attachment D** for a list of property rights acquired for the Project.

**(9) Describe the following information regarding the technical features of the project.**

**(a) Operating characteristics, estimated number and types of structures required, and right-of-way and/or land requirements.**

The Adjustments will, like the rest of the Project, be tested such that it will have an MAOP of 190 pounds per square inch gauge (PSIG). Columbia will be installing 20-inch mainline piping that is coated steel with a wall thickness of 0.375.

Please see **Attachment D** for a list of property rights acquired for the Project. The location of the workspaces and the right-of-way along the Project route for the Adjustments are also shown in the drawing included in **Attachment B**.

**(b) For electric power transmission lines that are within one hundred feet of an occupied residence or institution, the production of electric and magnetic fields during the operation of the proposed electric power transmission line, describe:**

**(i) Calculated electric and magnetic field strength levels at one meter above ground under the lowest conductors and at the edge of the right-of-way for:**

**(a) Normal maximum loading,**

**(b) Emergency line loading,**

**(c) Winter normal conductor rating.**

**(ii) The applicant's consideration of design alternatives with respect to electric and magnetic fields and their strength levels, including alternate conductor configuration and phasing, tower height, corridor location, and right-of-way width.**

Not applicable to this Project.

**(c) The estimated cost of the project.**

The Adjustments do not cause a material increase to the Project estimated cost.

**(10) The applicant shall describe the social and ecological impacts of the project. Examples of relevant information include.**

**(a) Provide a brief, general description of land use within the vicinity of the proposed project, including a list of municipalities, townships, and counties affected.**

The Adjustments are located within the City of Upper Arlington, Franklin County, Ohio. The current land use surrounding the Adjustments are primarily comprised of residential properties.

**(b) Provide the acreage and a general description of all agricultural land, and separately all agricultural district land, existing at least sixty days prior to**

**submission of the application within the potential disturbance area of the project.**

No Agricultural District Land parcels are impacted by the Adjustments.

**(c) Provide a description of the applicant's investigation concerning the presence or absence of significant archeological or cultural resources that may be located within the potential disturbance area of the project, a statement of the findings of the investigation, and a copy of any document produced as a result of the investigation.**

Columbia conducted a cultural resource desktop review and assessment for the entire Project. The Adjustments in the alignment were covered within the original surveys covering the workspace originally surveyed for the entire route, and does not cause any new archaeological or cultural resources impacts as compared to the original Project approval.

A copy of the Cultural Report and correspondence with the State Historic Preservation Office (“SHPO”) is included in **Attachment F**.

**(d) Provide a list of the local, state, and federal governmental agencies known to have requirements that must be met in connection with the construction of the project, and a list of documents that have been or are being filed with those agencies in connection with siting and constructing the project.**

The following public officials and offices will be notified of the Construction Notice pursuant to Adm.Code 4906-6-07(A)(1):

Franklin County	
John O’Grady	Kevin L. Boyce
Franklin County Commissioner	Franklin County Commissioner
President	373 S. High Street
373 S. High Street	Columbus, Ohio 43215
Columbus, Ohio 43215	
Erica C. Crawley	Kenneth N. Wilson
Franklin County Commissioner	Franklin County Administrator
373 S. High Street	373 S. High Street
Columbus, Ohio 43215	Columbus, Ohio 43215

Jennifer Fish	Adam W. Fowler, P.E., P.S.
Franklin County Soil and Water	Franklin County Engineer
1404 Goodale Boulevard, Suite 100	970 Dublin Road
Columbus, Ohio 43212	Columbus, Ohio 43215

City of Upper Arlington	
Ukeme Awakessien Jeter	Heidi Munc
City of Upper Arlington Council President / Mayor	City of Upper Arlington Council Vice President
3600 Tremont Rd	3600 Tremont Rd
Upper Arlington, OH 43221	Upper Arlington, OH 43221
614-583-5040	614-583-5040
Todd Walter	John J Kulewicz
City of Upper Arlington Council	City of Upper Arlington Council
3600 Tremont Rd	3600 Tremont Rd
Upper Arlington, OH 43221	Upper Arlington, OH 43221
614-583-5030	614-583-5040
Nic Fortkamp	Laura Oldham
City of Upper Arlington Council	City of Upper Arlington Council
3600 Tremont Rd	3600 Tremont Rd
Upper Arlington, OH 43221	Upper Arlington, OH 43221
614-406-1144	614-583-5030
Ben Tracy	Krystal Grove
City of Upper Arlington Council	City of Upper Arlington City Clerk
3600 Tremont Rd	3600 Tremont Rd
Upper Arlington, OH 43221	Upper Arlington, OH 43221
614-583-5030	614-583-5030
Lisa Keller	Steven Schoeny
City of Upper Arlington Clerk of Courts	City of Upper Arlington City Manager
3600 Tremont Rd	3600 Tremont Rd
Upper Arlington, OH 43221	Upper Arlington, OH 43221
614-583-5060	614-583-5040
Chad Gibson	Aaron Scott
City of Upper Arlington Community Development	City of Upper Arlington Engineering Division
3600 Tremont Rd	4100 Roberts Rd
Upper Arlington, OH 43221	Upper Arlington, OH 43221
614-583-5074	614-583-5351

In addition to submitting this Construction Notice to the OPSB, the overall Project is subject to the following federal, state, and local agency reviews and authorizations to be received prior to construction beginning:

- U.S. Army Corps of Engineers (USACE) Nationwide Permit 12 Evaluation;
- Ohio Department of Natural Resources (ODNR) State Threatened and Endangered Species Consultation;
- Ohio Environmental Protection Agency (OEPA) Section 402 National Pollutant Discharge Elimination System (NPDES) Construction Stormwater Permit and Stormwater Pollution Prevention Plan (SWPPP) requirements;
- City of Columbus Department of Public Service ROW Excavation Permit;
- CSX Right of Entry Permit;
- CSX Utility Permit; and
- Ohio Department of Transportation Right-of-Way and Utility Permit;

No new or additional permits are required for the Adjustments beyond the permits previously secured for the Project.

Columbia also submitted to the City of Upper Arlington a Maintenance of Traffic Plan, which is included as **Attachment G**.

**(e) Provide a description of the applicant's investigation concerning the presence or absence of federal and state designated species (including endangered species, threatened species, rare species, species proposed for listing, species under review for listing, and species of special interest) that may be located within the potential disturbance area of the project, a statement of the findings of the investigation, and a copy of any document produced as a result of the investigation.**

The Adjustments do not present any new potential impacts to federal and state designated species. The original applicable correspondence and documentation, as continue to be applicable to the Adjustments, are attached as **Attachment E**.

**(f) Provide a description of the applicant's investigation concerning the presence or absence of areas of ecological concern (including national and state forests and parks, floodplains, wetlands, designated or proposed wilderness areas, national and state wild and scenic rivers, wildlife areas, wildlife refuges, wildlife management areas, and wildlife sanctuaries) that may be located within the potential disturbance area of the project, a statement of the findings of the**

**investigation, and a copy of any document produced as a result of the investigation.**

Columbia conducted an environmental review of the Project area for the entire route. The surveyed area for the original environmental study is not impacted by the minor alignment shifts in the Adjustments since the workspace does not change for the slight alignment modifications. Columbia does not anticipate any different ecological impacts caused by the Adjustments, and has attached **Attachment C**, which is the full Wetland Delineation Report.

**(g) Provide any known additional information that will describe any unusual conditions resulting in significant environmental, social, health, or safety impacts.**

To the best of Columbia's knowledge, no unusual conditions exist that would result in significant environmental, social, health, or safety impacts.

Should Staff of the Ohio Power Siting Board desire further information or discussion of this application, please do not hesitate to reach out to me at the information listed above.

Respectfully submitted,

*/s/ Melissa L. Thompson*

Melissa L. Thompson (Counsel of Record)

Melissa L. Thompson, VP and Deputy Gen.  
Counsel (0086367)

Ashley LaRock, Sr. Counsel (0101034)

P.O. Box 117

290 W. Nationwide Blvd.

Columbus, Ohio 43216-0117

Telephone: (614) 315-3391

(614) 273-4387

E-mail: [mlthompson@nisource.com](mailto:mlthompson@nisource.com)

[alarock@nisource.com](mailto:alarock@nisource.com)

(Willing to accept service by e-mail)

Attorneys for  
**COLUMBIA GAS OF OHIO, INC.**